



US010069888B1

(12) **United States Patent**
Ho

(10) **Patent No.:** **US 10,069,888 B1**

(45) **Date of Patent:** ***Sep. 4, 2018**

(54) **PLAYING OF MEDIA CONTENT AMONG MULTIPLE DEVICES USING A TEMPORAL PROGRESS**

(71) Applicant: **TP Lab, Inc.**, Palo Alto, CA (US)

(72) Inventor: **Chi Fai Ho**, Palo Alto, CA (US)

(73) Assignee: **TP Lab, Inc.**, Palo Alto, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **15/720,563**

(22) Filed: **Sep. 29, 2017**

Related U.S. Application Data

(63) Continuation of application No. 15/217,980, filed on Jul. 23, 2016, now Pat. No. 9,807,141, which is a continuation of application No. 14/099,642, filed on Dec. 6, 2013, now Pat. No. 9,432,429.

(51) **Int. Cl.**
G06F 15/16 (2006.01)
H04L 29/06 (2006.01)
H04N 21/2387 (2011.01)

(52) **U.S. Cl.**
CPC **H04L 65/604** (2013.01); **H04N 21/2387** (2013.01)

(58) **Field of Classification Search**
CPC H04L 67/104; H04L 65/4015; H04N 21/4302; H04N 21/43615; H04N 21/2387
USPC 709/203, 231
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2008/0209021	A1*	8/2008	Shamma	H04L 65/4015	709/223
2011/0219413	A1*	9/2011	Krikorian	G11B 27/034	725/109
2013/0218942	A1*	8/2013	Willis	H04L 65/1069	709/201
2013/0346478	A1*	12/2013	Rodriguez	H04L 65/60	709/203
2014/0029913	A1*	1/2014	Lopez	H04N 21/42208	386/230
2015/0074700	A1*	3/2015	Danovitz	H04N 21/4826	725/14

* cited by examiner


Primary Examiner — Frantz Jean

(74) *Attorney, Agent, or Firm* — North Shore Patents, P.C.; Michele Liu Baillie

(57) **ABSTRACT**

In a playing of media content among multiple devices, a first device creates a first progress information associated with a media content and the first device. The first progress information includes a current progress in a playing of the media content by the first device. When a second device receives an instruction to play the media content, the second device obtains the first progress information from the first device, creates a second progress information associated with the media content and the second device based on the first progress information, fetches the media content based on the second progress information, and plays the media content using the second progress information. In this manner, a progress in playing the media content is tied to the device playing the media content, and this progress may be shared with another device in the playing of the media content on the other device.

21 Claims, 6 Drawing Sheets






Figure 1




Figure 2a




Figure 2b




Figure 3




Figure 4




Figure 5

**PLAYING OF MEDIA CONTENT AMONG
MULTIPLE DEVICES USING A TEMPORAL
PROGRESS**

BACKGROUND OF THE INVENTION

Field

This invention relates generally to media, and more specifically, to a method to play content among multiple devices.

Related Art

Consuming digital media content such as an electronic book, a digital video, an on-line video, or a digital document is becoming easier. A user can watch a television show through Netflix® on her networked television set, her laptop, her tablet or her smartphone. The user can do so any time anywhere, and as many times as she desires. Another user can read a book on his Kindle e-reader, and later continues the reading on a Kindle tablet, or a Kindle e-reader software running on his Android™ phone.

Even when a user finds convenience to consume or play a digital content on multiple devices, the experience is not as desired. Mary finished reading the e-book Hunger Game volume 1 last year on her Kindle®. Her younger sister, Liz, becomes interested in the book and wants to read it. Liz received a Kindle Fire as a gift from her father last week. She logs into the family Kindle account and finds the e-book. When Liz loads and opens the e-book. Kindle Fire opens the book at the last page of the book, where Mary last read the book a year ago. Liz has to flip back to the beginning of the book.

John and Susan have a family subscription to an online video service. They both like the TV series Breaking Bad. John watched episode 5 last night on his tablet and stopped at about 15 minute into the video. Susan turned on their television in the morning and watched the same episode. She found the video was played starting midway. She realized John must have watched part of it earlier. She rewound to the beginning of the video and finished watching the video. During lunch time, John wants to continue watching. He turns on his iPhone® and starts the video. To his surprise, the video does not resume from where he left off. The video application indicates the video has reached the end and needs to start playing from the beginning. John forgets where he stopped last night and is irritated that he has to start all over again.

Maryann reads an online newspaper every day. Now she bought a second tablet to be used in her bedroom, she would resume reading some news articles she started earlier that morning on her older tablet, before turning off the light for the night. In the morning, when she turns on the older tablet, she finds it odd when the online newspaper starts on the news article she did not complete the day earlier. She expected the online newspaper to start with today's news.

The above scenarios illustrate the need for improved playing of media content over multiple devices. The timeliness of the content and which devices are used are important aspects of the user experience.

BRIEF SUMMARY OF THE INVENTION

According to one embodiment of the present invention, in a method for playing of media content among multiple devices, a second device receives an instruction to play the

media content on the second device. In response to receiving the instruction, the second device obtains a first progress information associated with a first device, the first progress information including a current progress in a playing of the media content by the first device. The second device creates a second progress information associated with the media content and the second device based on the first progress information, fetches the media content based on the second progress information, and plays the media content by the second device using the second progress information.

In one aspect of the present invention, the method further includes the second device storing a current progress in the playing of the media content by the second device in the second progress information.

In one aspect of the present invention, the method further includes: playing the media content by the first device using the first progress information and playing the media content by the second device using the second progress information; updating, by the first device, the first progress information based on the playing of the media content by the first device; and updating, by the second device, the second progress information based on the playing of the media content by the second device.

In one aspect of the present invention, the second device further: determines whether the first progress information is valid, and upon determining that the first progress information is valid, creating the second progress information.

In one aspect of the present invention, the first progress information comprises an expiration condition. The second device further: determines whether the expiration condition is met; and upon determining that the expiration condition is not met, creates the second progress information.

In one aspect of the present invention, the first progress information comprises a location of the media content to which the first device has played the media content. The second device plays the media content based on the location in the first progress information.

In one aspect of the present invention, the second device resumes the playing of the media content from the location in the first progress information, from before the location in the first progress information, or from a beginning of the media content.

In one aspect of the present invention, the first progress information includes media server information for a media server. The second device determines that another media server services the media content, creates the second progress information to comprise information for the other media server, and fetches the media content from the other media server.

In one aspect of the present invention, the first device discovers the second device, and in response, sends the first progress information to the second device.

In one aspect of the present invention, the second device discovers the first device, and in response, sends a request for the first progress information associated with the media content to the first device. The second device receives the first progress information from the first device.

In one aspect of the present invention, the first device plays the media content for a user. The second device further determines that the user does not have an account on the second device and sends an invitation to the user to create the account on the second device.

System and computer readable medium corresponding to the above-summarized methods are also described and claimed herein.

BRIEF DESCRIPTION OF THE SEVERAL
VIEWS OF THE FIGURES

FIG. 1 illustrates a user playing a piece of media content using multiple devices according to embodiments of the present invention.

FIG. 2a illustrates a user device according to embodiments of the present invention.

FIG. 2b illustrates a media server according to embodiments of the present invention.

FIG. 3 illustrates the playing of content using multiple devices according to embodiments of the present invention.

FIG. 4 illustrates a device creating progress information for the playing of a media content according to embodiments of the present invention.

FIG. 5 illustrates resuming the playing of a media content on a second device according to embodiments of the present invention.

DETAILED DESCRIPTION OF THE
INVENTION

The following description is presented to enable one of ordinary skill in the art to make and use the present invention and is provided in the context of a patent application and its requirements. Various modifications to the embodiment will be readily apparent to those skilled in the art and the generic principles herein may be applied to other embodiments. Thus, the present invention is not intended to be limited to the embodiment shown but is to be accorded the widest scope consistent with the principles and features described herein.

The flowchart and block diagrams in the Figures illustrate the architecture, functionality, and operation of possible implementations of systems, methods and computer program products according to various embodiments of the present invention. In this regard, each block in the flowchart or block diagrams may represent a module, segment, or portion of code, which comprises one or more executable instructions for implementing the specified local function(s). It should also be noted that, in some alternative implementations, the functions noted in the block may occur out of the order noted in the figures. For example, two blocks shown in succession may, in fact, be executed substantially concurrently, or the blocks may sometimes be executed in the reverse order, depending upon the functionality involved. It will also be noted that each block of the block diagrams and/or flowchart illustration, and combinations of blocks in the block diagrams and/or flowchart illustration, can be implemented by special purpose hardware-based systems that perform the specified functions or acts, or combinations of special purpose hardware and computer instructions.

The terminology used herein is for the purpose of describing particular embodiments only and is not intended to be limiting of the invention. As used herein, the singular forms “a”, “an” and “the” are intended to include the plural forms as well, unless the context clearly indicates otherwise. It will be further understood that the terms “comprises” and/or “comprising,” when used in this specification, specify the presence of stated features, integers, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, integers, steps, operations, elements, components, and/or groups thereof.

FIG. 1 illustrates a user consuming a piece of media content using multiple devices according to embodiments of the present invention.

User 100 uses a plurality of devices, such as device 110 and device 120, to consume or play content 410. In one embodiment, content 410 is an electronic content, a company document, a spreadsheet, a presentation, an image, an animation, an electronic book or an e-book, an electronic magazine, a piece of digital music, a video, a music program composing of a number of music pieces, a radio program, a television show, an electronic newspaper article, a piece of news, or a piece of digitized media content. In one embodiment, content 410 includes a collection of contents. In one embodiment, device 110 and device 120 fetch content 410 over data network 500 from media server 210 which provides access to content 410.

In one embodiment, device 110, as illustrated in FIG. 2a, includes a processor module 111, an output module 115, an input module 117, storage 119 and a network module 113. In one embodiment, processor module 111 includes one or more general processors, a multi-core processor, an application specific integrated circuit based processor, a system on a chip (SOC) processor, or an embedded processor. In one embodiment, output module 115 includes a display for displaying images and text, an audio speaker, an image projector, or other forms of computer output. In one embodiment, input module 117 includes a physical or logical keyboard, buttons, keys, microphones, sensors such as optical sensor, infrared (IR) sensor, camera sensor, motion sensor, direction sensor, location sensor, any sensor that is usable for a user to provide input to device 110. In one embodiment, storage 119 includes a main memory, a hard disk drive (HDD), a solid state drive (SSD), a memory card, a ROM module, a RAM module, a USB disk or other storage component. In one embodiment, a network module 113 includes hardware and software to connect to a network such as Ethernet, a wired network, a wireless network, a cellular network, a mobile network, a Bluetooth network, a NFC network, or a WiFi network. Storage 119 includes executable instructions when executed by the processing module 111 of device 110 to implement one or more functionalities of the current invention. In one embodiment, device 110 includes a content player 112, which includes one or more computer programming instructions. In one embodiment, content player 112 is stored in storage 119.

In one embodiment, device 110 may be integrated into a smartphone, a tablet, a PC, a desktop computer, a mobile device, an e-reader, a game console, a television set, a digital picture frame, a smart camera, a smart watch, a medical device, a radio, an automobile, a toy, a consumer electronic device, a set top box, or a business machine.

In one embodiment, device 120 includes components similar to the components in device 110.

In one embodiment, media server 210, as illustrated in FIG. 2b, includes a processor module 211, storage 219 and a network module 213. In one embodiment, processor module 211 includes one or more general processors, a multi-core processor, an application specific integrated circuit based processor, a system on a chip (SOC) processor, or an embedded processor. In one embodiment, storage 219 includes a main memory, a hard disk drive (HDD), a solid state drive (SSD), a memory card, a ROM module, a RAM module, a USB disk or other storage component. In one embodiment, a network module 213 includes hardware and software to connect to a network such as Ethernet, a wireless network, a cellular network, a mobile network, a Bluetooth network, or a WiFi network. Storage 219 includes executable instructions when executed by the processing module 211 of media server 210 implement one or more functionalities of the current invention.

In one embodiment, media server **210** includes one or more media servers. In one embodiment, media server **210** manages a subscription for user **100** wherein the subscription includes access to content **410**. In one embodiment, media server **210** manages a subscription for device **110** and/or another subscription for device **120**. In one embodiment, user **100** represents a person, one or more persons in a group, a family, an organization, a corporation, or an association. In one embodiment, user **100** represents a person with one or more identities. In one embodiment, user **100** represents a computing device operating device **110** and/or device **120**.

FIG. 3 illustrates steps performed by various parts referenced in FIG. 1 according to embodiments of the present invention. In step **311**, device **110** plays content **410** as instructed by user **100**. In one embodiment, content player **112** of device **110** plays content **410**. Content player **112** obtains content **410** through media server **210** over data network **500**.

In step **313**, device **110** creates progress information **151** to indicate a current state or progress of content player **112** regarding the action of playing content **410**. In one embodiment, content player **112** creates progress information **151**. In one embodiment, user **100** instructs content player **112** to create progress information **151**. In one embodiment, content player **112** updates progress information **151** from time to time whenever there is a change of the progress of playing content **410**. In one embodiment, device **110** stores progress information **151** in storage **119**. In one embodiment, device **110** stores progress information **151** by sending progress information **151** to media server **210** where media server **210** stores progress information **151** in storage **219** of media server **210**.

In step **321**, user **100** uses device **120** to play content **410**. In one embodiment, user **100** instructs device **110** to stop or pause the playing of content **410** prior to using device **120**, as illustrated in step **315**. In one embodiment, device **110** continues to play content **410** while user **100** instructs device **120** to play content **410**.

In step **323**, device **120** obtains progress information **151** from device **110**. In one embodiment, user **100** instructs device **120** to obtain progress information **151** from device **110**. In one embodiment, user **100** instructs device **110** to send progress information **151** to device **120**. In one embodiment, device **110** determines that device **120** is within communications distance through known discovery mechanism and asks if user **100** wants to send progress information **151** to device **120**. In one embodiment, device **110** presents the discovery of device **120** on an output module of device **110**. User **100** selects device **120** by interfacing with the input module **117** of device **110** and instructs device **110** to send progress information **151** to device **120**. In one embodiment, device **110** is pre-configured to send progress information **151** to device **120**. Once device **120** is discovered, device **110** automatically sends progress information **151** to device **120** without requiring user inputted instructions to do so.

In one embodiment, device **120** determines that device **110** is within communications distance through known discovery mechanisms and asks if user **100** wants to obtain progress information **151** from device **110**. In one embodiment, device **120** presents the discovery of device **110** on an output module of device **120**. User **100** selects device **110** by interfacing with the input module **117** of device **120** and instructs device **120** to obtain progress information **151** from device **110**. In one embodiment, device **120** is pre-configured to obtain progress information **151** from device **110**.

Once device **120** discovers device **110**, device **120** automatically obtains progress information **151** from device **110** without requiring user inputted instructions to do so.

In one embodiment, device **110** and device **120** communicate over data network **500**. Device **110** discovers device **120** through data network **500**. In one embodiment, device **110** discovers device **120** by sending a discovery message (not shown) to data network **500**. In one embodiment, device **120** responds to the discovery message and device **110** discovers device **120** from the response message (not shown). In one embodiment, device **120** sends another discovery message (not shown) to data network **500**. Device **110** receives the discovery message from device **120** and discovers device **120**. In one embodiment, device **110** consults with a network computer over data network **500** to discover device **120**. In one embodiment, device **110** is pre-configured with knowledge of device **120**. In one embodiment, device **110** discovers device **120** by querying media server **210**.

In other embodiments, device **120** discovers device **110** in the manners set forth above.

In step **324**, device **120** determines if progress information **151** is valid. In one embodiment, device **120** includes clock **128** and compares clock **128** with progress information **151** to determine if progress information **151** is valid, as explained further below with reference to FIGS. 4-6.

In step **325**, device **120** creates progress information **152** based on progress information **151**. In one embodiment, user **100** instructs device **120** to create progress information **152**. Device **120** creates progress information **152** using data in progress information **151**. In one embodiment, device **120** automatically creates progress information **152** before or after receiving progress information **151**. In one embodiment, device **120** receives progress information **151** after creating progress information **152**, device **120** updates progress information **152** with data in progress information **151**. In one embodiment, progress information **152** is updated to integrate progress information **151** into progress information **152**. For example, assume that user **100** first plays content **410** on device **120**, then plays content **410** on device **110**, and then plays content **410** again on device **120**. Device **120** would have an earlier-created progress information **152** and thus now updates progress information **152** by combining progress information **152** and progress information **151**.

In step **327**, device **120** obtains content **410** based on progress information **152**. In one embodiment, using progress information **152**, device **120** obtains information about media server **210** and content **410**. Device **120** sends a request to media server **210** to obtain content **410**, and in response, receives content **410** from media server **210**. In one embodiment, device **120** obtains information about content **410** using progress information **152** and determines whether media server **210** or another media server serves content **410**. Subsequently, device **120** obtains content **410** from the determined media server.

In step **328**, device **120** plays content **410** for user **100**, using progress information **152**. In one embodiment, device **110** stops playing content **410** for user **100** at a certain location of content **410**. Device **120** resumes playing content **410** from device **110**'s stopped location of content **410**. In one embodiment, device **120** determines it should play content **410** from the beginning of content **410**. In one embodiment, device **120** determines progress information **152** or progress information **151** is invalid and determines that content **410** is not to be played.

In step **329**, device **120** updates progress information **152** from time to time to indicate the current progress of playing

content **410** on device **120**. In one embodiment, device **120** updates progress information **152** according to instruction received from user **100**.

In one embodiment, device **110** updates progress information **151** or device **120** updates progress information **152** periodically every 3 minutes, every 10 seconds, every hour, or according to a configurable period set by a user. In one embodiment, device **110** updates progress information **151** or device **120** updates progress information **152** according to instructions received from user **100**.

In the various embodiment of the present invention, the progress information **151** of playing content **410** for user **100** is associated with the content **410** and the device **110**, where the progress information **151** provides the current state of the playing of content **410** specifically on device **110**. Similarly, progress information **152** of playing content **410** for user **100** is associated with device **120**, where the progress information **152** provides the current state of the playing of the content **410** specifically on device **120**. The progress information **151** associated with device **110** may be shared with device **120**. Device **120** may then create its own progress information **152** based on progress information **151**, as described further below.

FIG. 4 illustrates progress information **151** for content **410** according to embodiments of the present invention. In one embodiment, progress information **151** includes device information **611** of device **110**. Device information **611** may include: an identity of device **110**; user information stored in device **110**; functional information including information for the various modules of device **110** illustrated in FIG. 2a; information regarding stored executable instructions of device **110**; and other common device information.

In one embodiment, progress information **151** includes content information **613** of content **410**. Content information **613** may include: an identity of content **410**; access information of content **410** indicating how to retrieve content **410**, such as information regarding media server **210**; attributes of content **410** in order to play content **410**; and other information about content **410** such as content type, format, duration, size, indices, table of content, author, publication information, revision information, certification management information, DRM information, billing, and subscription.

In one embodiment, progress information **151** includes playing status **615** of content player **112**. In one embodiment, playing status **615** includes a status of content player **112** playing content **410**. Playing status **615** may include one or more previous status of playing content **410**. In one embodiment, the status of playing content **410** includes content type related status, for example page number, paragraph, column number, line number, word sequence, bookmark, page mark, percentage, chapter number, track number, album information, time marker, time, a duration of time, audio volume information, display resolution, resolution of video content, resolution of presentation, slide number, picture number, image number, document index, location in a document, and other necessary information that captures information of content player **112** while playing content **410**. Playing status **615** may depend on the content type of content **410**. In embodiment, if content **410** includes a video, an audio clip, a song, a piece of music, a book, a document, a picture, an album, a slide, a diagram, a spreadsheet, an animation, or a combination of the above, playing status **615** includes status for playing a video, an audio clip, a song, a piece of music, a book, a document, a picture, an album, and so forth.

In one embodiment, progress information **151** includes user information **617** about user **100**. In one embodiment,

user information **617** includes a user identity, a subscription identity, a machine identity, a user profile, and one or more activities of user **100** while consuming content **410**. In one embodiment, user information **617** indicates one or more aspects of user experiences. In one embodiment, user information **617** includes a user expression, an annotation, a user comment, a user bookmark, a highlight, a marking on the content, an audio recording, a timestamp, a revision, or any information relating to a user activity while consuming content **410**. In one embodiment, user information **617** includes social media information related to user **100** or to content **410**. In one embodiment, social media information of user information **617** includes annotation or comment of content **410** from friends of user **100** or other users who are consuming content **410** simultaneously or had consumed content **410** previously. In one embodiment, device **110** obtains the social media information of user information **617** from data network **500**.

In one embodiment, progress information **151** includes time information **619** indicating validity of progress information **151**. In one embodiment, time information **619** includes a current time, a current time of day, or a current date. In one embodiment, time information **619** includes an expiration time, an expiration date, a validity time, a validity date, a duration of time, or an expiration or validity condition. In one embodiment, content player **112** uses the time information **619** to determine if progress information **151** is valid, such as by comparing the time information **619** with a clock **128**. In one embodiment, an expiration time or date or a validity time or date indicates 60 minutes, morning, evening, within 24 hour, by end of the day, by end of the week, by end of the month, before 5 pm, or a reasonable time or date expected for the content. In one embodiment, an expiration or validity condition includes a geographic location, such as: valid within the building; not valid outside Bay Area; expired outside the shop; or expired after 2 hours and outside the theme park. In one embodiment, an expiration or validity condition includes: not valid for television set; not valid for WiFi network; valid only for cellular network; expires after 15 minutes for a 3rd party e-reader; expires after 30 minutes if device is not in the same network; or a condition relating to the device using progress information **151**. In one embodiment, user **100** specifies to device **110** the expiration or the validity condition. In one embodiment, device **110** obtains the validity condition or the expiration from media server **210**.

FIG. 5 illustrates an embodiment to resume playing content **410** on device **120**. In one embodiment, device **120** includes content player **122**. Device **120** obtains progress information **151** from device **110** as illustrated in FIG. 1.

In one embodiment, device **120** creates progress information **152** based on progress information **151**. In one embodiment, device **120** places device information **621** of device **120** into progress information **152**. In one embodiment, device **120** copies a portion of device information **611** of progress information **151** into device information **621** of progress information **152**.

In one embodiment, device **120** creates content information **623** based on content **410**, content information **613** of progress information **151** and device information **621**. In one embodiment, device **120** copies content information **613** into content information **623**. In one embodiment, device **120** replaces some data in content information **623**, such as access information of content **410** and attributes of content **410**. In one embodiment, device **120** determines content **410** can be accessed or can be better accessed from a media server different from the media server used by device **110**,

device 120 changes access information of content 410 in progress information 152. In one embodiment, device 120 determines attributes of content 410 such as billing, format, edition, publication dates being different from the attributes of content 410 in progress information 151. In response, device 120 changes the attributes of content 410 in progress information 152.

In one embodiment, device 120 copies playing status 615 of progress information 151 as playing status 625 of progress information 152. In one embodiment, device 120 changes playing status 625. In one embodiment, device 120 changes a resolution, a bookmark, an audio volume setting, a time, a duration of time, or any other information in playing status 625 as appropriate to provide a good user experience for playing content 410 for user 100. For example, in one embodiment, device 120 has a higher resolution display and changes a resolution in playing status 615 to a higher resolution. In one embodiment, device 120 has a lower resolution display and changes a resolution in playing status 615 to a lower resolution in playing status 625. In one embodiment, some attributes of content 410 obtained by device 120 is different from attributes of content 410 obtained by device 110. In response, device 120 changes one or more attributes of content 410, such as: a time; a duration of time; a percentage; a page number; or any information in progress information 151 according to the difference between the two different versions of content 410. In one embodiment, device 120 changes a location in progress 615 to a different location to be stored in playing status 625 so that device 120 resumes playing content 410 from the different location. In one embodiment, device 120 calculates the location stored in progress information 152 based on the location in progress information 151. In one embodiment, device 120 calculates the location in progress information 152 to be a location prior to or earlier to the location in progress information 151. In one embodiment, the location in progress information 152 is 5 seconds, 1 minute earlier than the location in progress information 151. In one embodiment, the location in progress information 152 is a paragraph, a page, a slide, or 1% prior to the location in progress information 151. In one embodiment, the location in progress information 152 is at the beginning of a paragraph, a page, a slide, a video clip, an animation, an audio clip, a song, a track, a document, an image, or an album according to the location in progress information 151. In one embodiment, device 120 changes the audio volume information of progress information 151 when storing into progress information 152.

In one embodiment, device 120 copies user information 617 of progress information 151 into user information 627 of progress information 152. In one embodiment, device 120 modifies user information 627 according to information stored in device 120. In one embodiment, device 120 inserts additional social media information related to user 100 found in device 120 but not in user information 617. In one embodiment, device 120 removes some data from user information 627. In one embodiment, user 100 does not have a user account or is not recognized by device 120, device 120 removes user information data directly related to user 100 from user information 627, so as to protect the privacy of user 100. In one embodiment, device 120 detects user 100 is not found in device 120. Device 120 asks if user 100 wants to create a user account on device 120. Upon affirmative response from user 100, device 120 creates a user account for user 100 and retains data relating to user 100 in user information 627. In one embodiment, device 120 automatically creates a user account for user 100. In one embodi-

ment, device 120 notifies user 100 of the created user account. In one embodiment, device 120 modifies user information 627 corresponding to the user account information of user 100 in device 120.

In one embodiment, device 120 examines time information 619 of progress information 151 to determine the validity of progress information 151. In one embodiment, device 120 compares time information 619 and a current time of a clock 128 available to device 120. In one embodiment, device 120 determines that time information 619 indicates that progress information 151 has expired when compared to the current time. In response, device 120 does not use progress information 151 to create progress information 152. In one embodiment, device 120 determines that the time information 619 indicates that progress information 151 is valid. In one embodiment, device 120 compared time information 619 to the current time. In one embodiment, device 120 uses information about device 120 to compare to time information 619. In response, device 120 uses progress information 151 in creating progress information 152. In one embodiment, device 120 copies time information 619 as time information 629 of progress information 152. In one embodiment, device 120 changes some data in time information 629, such as a time duration, a time, a date, an expiration time, or an expiration or validity condition, to reflect the current time or device 120 condition. In one embodiment, device 120 changes time information 627 after obtaining additional information from a media server serving content 410. In one embodiment, device 120 changes time information 629 after interacting with user 100.

In one embodiment, device 120 compares time information 629 of progress information 152 to the current time to determine if progress information 152 is valid prior to using progress information 152 to play content 410 or modifying progress information 152. In one embodiment, while content player 212 is playing content 410, device 120 determines time information 629 is invalid. Content player 212 stops playing content 410. In one embodiment, device 120 then informs user 100 that progress information 152 is invalid.

Although the present invention has been described in accordance with the embodiments shown, one of ordinary skill in the art will readily recognize that there could be variations to the embodiments and those variations would be within the spirit and scope of the present invention. Accordingly, many modifications may be made by one of ordinary skill in the art without departing from the spirit and scope of the appended claims.

What is claimed is:

1. A method for playing media content among a plurality of devices by a group of users, the group of users comprising at least a first user and a second user, comprising:

- (a) receiving, by a second device, an instruction from the second user to play a second copy of the media content on the second device;
- (b) in response to receiving the instruction, obtaining, by the second device, a first progress information associated with a first device of the first user, the first progress information comprising a current progress in a playing of a first copy of the media content by the first device;
- (c) creating, by the second device, a second progress information associated with the second copy of the media content and the second device;
- (d) including, by the second device, user information about the second user comprising in the second progress information, the user information about the second user comprising a user comment related to the media content at the second device;

11

- (e) updating, by the second device, the second progress information by integrating the first progress information into the second progress information;
- (f) fetching, by the second device, the second copy of the media content based on the updated second progress information; 5
- (g) simultaneously playing the first copy of the media content by the first device using the first progress information and playing the second copy of the media content by the second device using the updated second progress information; and 10
- (h) simultaneously and separately updating the first progress information by the first device based on the playing of the first copy of the media content by the first device and further updating the second progress information by the second device, wherein the further updating of the second progress information comprises: 15
- (h1) obtaining the updated first progress information by the second device; and
- (h2) modifying the second progress information, by the second device, based on the updated first progress information and the playing of the second copy of the media content by the second device. 20
2. The method of claim 1, wherein the first progress information comprises user information about the first user, the user information comprising a user comment related to the media content at the first device, wherein the updating (e) comprise: 25
- (e1) updating, by the second device, the second progress information by integrating the user information in the first progress information with the user information in the second progress information. 30
3. The method of claim 1, wherein the updated first progress information comprises user information about the first user, the user information comprising a user comment related to the media content at the first device, wherein the modifying (h2) comprise: 35
- (h2i) modifying the user information about the second user in the second progress information based on the user information about the first user in the updated first progress information. 40
4. The method of claim 3, wherein the modifying (h2i) comprises:
- (h2iA) inserting social media information related to the first user stored at the second device but not in the user information in the second progress information. 45
5. The method of claim 3, wherein the modifying (h2i) comprises:
- (h2iA) removing data related to the first user from the user information in the second progress information. 50
6. The method of claim 1, wherein the user information in the first progress information comprises the user comment of the first user while consuming the first copy of the media content at the first device, and the user information in the second progress information comprises the user comment of the second user while consuming the second copy of the media content at the second device. 55
7. The method of claim 1, the user comment in the first progress information or the user comment in the second progress information comprises an audio clip or a user image. 60
8. A non-transitory computer readable medium comprising computer readable program code embodied therein for playing media content among a plurality of devices by a group of users, the group of users comprising at least a first user and a second user, wherein when executed by a processor causes the processor to: 65

12

- (a) receive, by a second device, an instruction from the second user to play a second copy of the media content on the second device;
- (b) in response to receiving the instruction, obtain, by the second device, a first progress information associated with a first device of the first user, the first progress information comprising a current progress in a playing of a first copy of the media content by the first device;
- (c) create, by the second device, a second progress information associated with the second copy of the media content and the second device;
- (d) include, by the second device, user information about the second user comprising in the second progress information, the user information about the second user comprising a user comment related to the media content at the second device;
- (e) update, by the second device, the second progress information by integrating the first progress information into the second progress information;
- (f) fetch, by the second device, the second copy of the media content based on the updated second progress information;
- (g) simultaneously play the first copy of the media content by the first device using the first progress information and playing the second copy of the media content by the second device using the updated second progress information; and
- (h) simultaneously and separately update the first progress information by the first device based on the playing of the first copy of the media content by the first device and further updating the second progress information by the second device, wherein the further update of the second progress information comprises: 60
- (h1) obtain the updated first progress information by the second device; and
- (h2) modify the second progress information, by the second device, based on the updated first progress information and the playing of the second copy of the media content by the second device.
9. The medium of claim 8, wherein the first progress information comprises user information about the first user, the user information comprising a user comment related to the media content at the first device, wherein the update (e) comprise: 65
- (e1) update, by the second device, the second progress information by integrating the user information in the first progress information with the user information in the second progress information.
10. The medium of claim 8, wherein the updated first progress information comprises user information about the first user, the user information comprising a user comment related to the media content at the first device, wherein the modify (h2) comprise:
- (h2i) modify the user information about the second user in the second progress information based on the user information about the first user in the updated first progress information.
11. The medium of claim 10, wherein the modify (h2i) comprises:
- (h2iA) insert social media information related to the first user stored at the second device but not in the user information in the second progress information.
12. The medium of claim 10, wherein the modify (h2i) comprises:
- (h2iA) remove data related to the first user from the user information in the second progress information.

13

13. The medium of claim 8, wherein the user information in the first progress information comprises the user comment of the first user while consuming the first copy of the media content at the first device, and the user information in the second progress information comprises the user comment of the second user while consuming the second copy of the media content at the second device.

14. The medium of claim 8, the user comment in the first progress information or the user comment in the second progress information comprises an audio clip or a user image.

15. A system for playing media content among a plurality of devices by a group of users, the group of users comprising at least a first user and a second user, comprising:

a first device for creating a first progress information associated with the first device of the first user, the first progress information comprising a current progress in a playing of a first copy of a media content by the first device; and

a second device for:

(a) receiving an instruction from the second user to play a second copy of the media content on the second device;

(b) in response to receiving the instruction, obtaining the first progress information;

(c) creating a second progress information associated with the second copy of the media content and the second device;

(d) including user information about the second user comprising in the second progress information, the user information about the second user comprising a user comment related to the media content at the second device;

(e) updating the second progress information by integrating the first progress information into the second progress information;

fetching the second copy of the media content based on the updated second progress information;

(g) simultaneously playing the first copy of the media content by the first device using the first progress information and playing the second copy of the media content by the second device using the updated second progress information; and

(h) simultaneously and separately updating the first progress information by the first device based on the playing of the first copy of the media content by the first device and further updating the second progress information

14

by the second device, wherein the further updating of the second progress information by the second device comprises:

(h1) obtaining the updated first progress information; and

(h2) modifying the second progress information based on the updated first progress information and the playing of the second copy of the media content by the second device.

16. The system of claim 15, wherein the first progress information comprises user information about the first user, the user information comprising a user comment related to the media content at the first device, wherein the updating (e) comprise:

(e1) updating the second progress information by integrating the user information in the first progress information with the user information in the second progress information.

17. The system of claim 15, wherein the updated first progress information comprises user information about the first user, the user information comprising a user comment related to the media content at the first device, wherein the modifying (h2) comprise:

(h2i) modifying the user information about the second user in the second progress information based on the user information about the first user in the updated first progress information.

18. The system of claim 17, wherein the modifying (h2i) comprises:

(h2iA) inserting social media information related to the first user stored at the second device but not in the user information in the second progress information.

19. The system of claim 17, wherein the modifying (h2i) comprises:

(h2iA) removing data related to the first user from the user information in the second progress information.

20. The system of claim 15, wherein the user information in the first progress information comprises the user comment of the first user while consuming the first copy of the media content at the first device, and the user information in the second progress information comprises the user comment of the second user while consuming the second copy of the media content at the second device.

21. The system of claim 15, the user comment in the first progress information or the user comment in the second progress information comprises an audio clip or a user image.

* * * * *