



US010070185B1

(12) **United States Patent**  
**Ho et al.**

(10) **Patent No.:** **US 10,070,185 B1**  
(45) **Date of Patent:** **\*Sep. 4, 2018**

(54) **METHOD AND SYSTEM TO  
AUTOMATICALLY SELECT DATA  
NETWORK VIDEOS AS TELEVISION  
SHOWS BASED ON A PERSONA**

(71) Applicant: **TP Lab, Inc.**, Palo Alto, CA (US)

(72) Inventors: **Chi Fai Ho**, Palo Alto, CA (US); **Shin  
Cheung Simon Chiu**, Palo Alto, CA  
(US); **Bok Knun Randolph Chung**,  
Los Altos, CA (US)

(73) Assignee: **TP Lab, Inc.**, Palo Alto, CA (US)

(\*) Notice: Subject to any disclaimer, the term of this  
patent is extended or adjusted under 35  
U.S.C. 154(b) by 0 days.

This patent is subject to a terminal dis-  
claimer.

(21) Appl. No.: **15/423,615**

(22) Filed: **Feb. 3, 2017**

**Related U.S. Application Data**

(63) Continuation of application No. 15/011,616, filed on  
Jan. 31, 2016, now Pat. No. 9,602,892, which is a  
continuation of application No. 13/747,473, filed on  
Jan. 22, 2013, now Pat. No. 9,282,372, which is a  
continuation of application No. 12/421,432, filed on  
Apr. 9, 2009, now Pat. No. 8,387,094.

(51) **Int. Cl.**  
**H04N 5/445** (2011.01)  
**H04N 7/173** (2011.01)  
**H04N 21/458** (2011.01)  
**H04N 21/234** (2011.01)  
**H04N 21/466** (2011.01)  
**H04N 21/278** (2011.01)

(52) **U.S. Cl.**  
CPC ..... **H04N 21/458** (2013.01); **H04N 21/234**  
(2013.01); **H04N 21/278** (2013.01); **H04N**  
**21/4667** (2013.01); **H04N 21/4668** (2013.01)

(58) **Field of Classification Search**  
CPC ..... H04N 21/4508; H04N 21/432; H04N  
21/466; H04N 21/4668; H04N 21/27;  
H04N 21/278  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**


5,805,784 A \* 9/1998 Crawford ..... A63F 13/00  
345/473  
6,408,309 B1 \* 6/2002 Agarwal ..... G06Q 10/10  
(Continued)

*Primary Examiner* — James R Sheleheda  
(74) *Attorney, Agent, or Firm* — North Shore Patents,  
P.C.; Michele Liu Baillie

(57) **ABSTRACT**

A system includes a television set for displaying a video for  
a viewer. The television set connects to a persona television  
system over a data network and sends a request for a  
television show for a persona to the persona television  
system. A “persona” includes a character representation of a  
person other than the viewer, an event, or a group. The  
persona television system selects a television show based on  
the persona. The persona television system sends to the  
television set a show description of the television show. The  
show description includes video source information about  
video source such that the television set can obtain television  
show from video source. In this manner, a data network  
video is automatically selected as a television show based on  
a persona and provided to the television set, increasing the  
ease with which the viewer can identify video choices of  
interest.

**18 Claims, 7 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

6,898,762	B2 *	5/2005	Ellis	.....	H04H 60/31 348/E7.063	2008/0091692	A1 *	4/2008	Keith	.....	G06F 17/3089
7,822,821	B2 *	10/2010	Foote	.....	H04L 12/1822 709/202	2008/0097867	A1 *	4/2008	Engle	.....	G06Q 30/02 705/26.7
8,171,032	B2 *	5/2012	Herz	.....	G06F 17/30867 707/748	2009/0112680	A1 *	4/2009	Dovrath	.....	G06Q 30/0215 705/26.3
8,180,858	B2 *	5/2012	Robb	.....	G06Q 30/00 709/219	2009/0187944	A1 *	7/2009	White	.....	H04N 7/173 725/46
8,387,094	B1 *	2/2013	Ho	.....	G06Q 30/00 725/105	2010/0022301	A1 *	1/2010	Carpenter	.....	A63F 13/12 463/30
9,282,372	B1 *	3/2016	Ho	.....	G06Q 30/00	2010/0082576	A1 *	4/2010	Walker	.....	G06F 17/30038 707/706
9,602,892	B1 *	3/2017	Ho	.....	G06Q 30/00	2010/0082585	A1 *	4/2010	Barsook	.....	G06F 17/3079 707/706
2002/0138836	A1 *	9/2002	Zimmerman	.....	H04N 7/163 725/46	2010/0186041	A1 *	7/2010	Chu	.....	G06F 17/30781 725/46
2003/0149580	A1 *	8/2003	Moore	.....	G06F 17/30873 705/319	2011/0154400	A1 *	6/2011	Johnson	.....	G06Q 30/02 725/46
2004/0049787	A1 *	3/2004	Maissel	.....	H04N 5/44543 725/46	2011/0238503	A1 *	9/2011	Naini	.....	G06Q 30/02 705/14.66
2007/0036287	A1 *	2/2007	Campbell	.....	G06Q 10/02 379/67.1	2011/0246560	A1 *	10/2011	Gibson	.....	G11B 27/105 709/203
2007/0050406	A1 *	3/2007	Byers	.....	G06F 17/30038	2012/0089623	A1 *	4/2012	Sobotka	.....	G06F 3/0482 707/751
2007/0061022	A1 *	3/2007	Hoffberg-Borghesani	.....	G05B 19/0426 700/83	2012/0215795	A1 *	8/2012	Phelon	.....	G06F 17/30867 707/749
2007/0133947	A1 *	6/2007	Armitage	.....	G06F 17/30256 386/224	2013/0104056	A1 *	4/2013	Halliday	.....	G06Q 10/10 715/753
2007/0162505	A1 *	7/2007	Cecchi	.....	G06F 17/30997	2013/0124556	A1 *	5/2013	Chowdhury	.....	G06F 17/30864 707/769
2007/0168237	A1 *	7/2007	Campbell	.....	G06Q 10/02 705/5	2013/0167168	A1 *	6/2013	Ellis	.....	H04N 5/44543 725/12
2007/0179863	A1 *	8/2007	Stoll	.....	G06Q 30/02 705/26.1	2014/0282674	A1 *	9/2014	Conradt	.....	G06K 9/00711 725/19

\* cited by examiner




FIG. 1




FIG. 2




FIG. 2a




FIG. 2b




FIG. 3




FIG. 4






FIG. 5

1

**METHOD AND SYSTEM TO  
AUTOMATICALLY SELECT DATA  
NETWORK VIDEOS AS TELEVISION  
SHOWS BASED ON A PERSONA**

**BACKGROUND OF THE INVENTION**

**Field**

This invention relates generally to media, particularly to a system and method to automatically select a data network video as a television show based on a persona.

**Related Art**

Television is among the many media adopting the new digital age. In 2009, United States will officially switch to digital television broadcast. Most national and local television stations are already broadcasting digital television in addition to the analog format, anticipating the switch off in 2009.

In addition to digital television broadcast, many television shows and programs are also distributed in other digital forms, such as DVD's, digital recording through DVR's, over the Internet as downloadable video files or streaming videos. Video downloading services examples include Apple's iTunes™, Amazon's Unbox™. Streaming television video web portals include Netflix™, Hulu™, Veoh™, websites of CBS™, ABC™, Disney™, and many others. Even cable operators such as Comcast™ offer online streaming television videos on their websites, such as Fancast™.

Vice versa, many online videos are showing up on television sets. For example, AppleTV™ and other set top boxes can play YouTube™ videos on television sets. A digital television set typically includes a PC-input, allowing a consumer to connect a PC to the television set. The consumer can use the television set similar to a normal monitor, and can watch online videos from their favorite websites through the PC. The consumer can watch on the television set the traditional television shows as well as online videos from the Internet.

Mary watches television every night. She enjoys a good two hours of television viewing after dinner every week night. In the past, she would check the television guide for her favorite television shows and tuned to the proper television channels. Today, she can watch her favorite shows, current episodes or episode from earlier seasons on her television set. She even finds shows she missed in past few years when she was not home. Moreover, she enjoys watching on the television set her favorite French television shows found on YouTube™. Last night after she finished her dinner, she prepared a nice cup of tea and leaned back on her couch. She turned on the television. There was not any favorite television show she wanted to see on her cable network. She switched to her AppleTV™ and started thinking what she wanted to see. She flipped down the available shows. Nothing was particularly interesting. She then switched to Netflix™. "Nice old episodes but no thanks," she mumbled. She switched to YouTube™. "Ok, what should I search?" "I just want to relax. I am not going to search," she said. She went to Hulu.com. "Ok, what show do I want to see . . ." After twenty minutes of clicking on the remote, she gave up. "Oh, well. I guess tonight is not a television night."

Having a choice is good for consumers. Having too many choices is, however, confusing to consumers. Mary likes an easy evening with something showing on the television set.

2

No violence. Good comedy, drama, occasionally minor action. Sports like skiing or tennis is good. Often she reads while watching television. When a comedy is showing and there is a good joke, she would switch from reading to watching for the next ten minutes or so to enjoy the good laughs from the comedian.

Mary likes Brooke Shields. Mary especially enjoys Lipstick Jungle, a television series in which Shields co-stars. Mary would love to watch the videos and movies Shields likes. Mary would also like to hear what other fans of Shields watch. Mary thinks she would likely enjoy similar videos as the fans.

Tonight Mary also plans to enjoy the evening with herself watching some television. We hope she will find a television show to watch; a show Shields would enjoy too.

John watches television as well. John likes sports. His favorite athletes include basketball player Kobe Bryant and football quarterback Peyton Manning. John thinks it would be cool to watch similar shows Bryant and Manning would watch. John is also a big fan of actor Sean Connery. John has watched all of Connery's movies. John always wonders what videos Connery like to see. When John turns on his television set and flips to a channel showing a rerun of Star Trek which does not interest John, he always questions why the programming networks cannot show only his favorite television shows.

The above scenarios illustrate the frustrations of viewers when confronted with too many video choices without an easy way to identify those of interest to the viewer. Accordingly, there exists a need to provide a method and a system to automatically select a data network video as a television show based on a persona.

**BRIEF SUMMARY OF THE INVENTION**

A system includes a television set for displaying a video for a viewer. The television set connects to a persona television system over a data network and sends a request for a television show for a persona to the persona television system. A "persona" includes a character representation of a person other than the viewer, i.e., a third party. The persona television system selects a television show based on the persona. The persona television system sends to the television set a show description of the television show. The show description includes video source information about video source such that the television set can obtain television show from video source. In this manner, a data network video is automatically selected as a television show based on a persona and provided to the television set, increasing the ease with which the viewer can identify video choices of interest.

In one method aspect, the method includes: (a) receiving a request from a television set via a data network, wherein the request comprises a persona name; (b) selecting at least one persona from a persona database based on the persona name in the request, wherein each persona in the persona database comprises a character representation of a person other than a viewer of the television set; (c) selecting at least one show description from a television show library based on the selected persona, wherein each show description in the television show library comprises information for a television show; and (d) sending the selected show description to the television set, wherein the selected show description comprises information for the television show.

In another method aspect, the method includes: (a) sending a request by a television set to a persona television system via a data network, wherein the request comprises a

3

persona name for a persona, wherein the persona comprises a character representation of a person other than a viewer of the television set; (b) receiving at least one show description from the persona television system in response to the request, wherein the received show description comprises information for a television show; and (c) obtaining the television show via the data network using the information for the television show in the received show description.

In one computer program product aspect, the computer program product comprises a computer useable storage medium having a computer readable program, wherein the computer readable program when executed on a computer causes the computer to: (a) receive a request from a television set via a data network, wherein the request comprises a persona name; (b) select at least one persona from a persona database based on the persona name in the request, wherein each persona in the persona database comprises a character representation of a person other than a viewer of the television set; (c) select at least one show description from a television show library based on the selected persona, wherein each show description in the television show library comprises information for a television show; and (d) send the selected show description to the television set, wherein the selected show description comprises information for the television show.

In another computer program product aspect, the computer program product comprises a computer useable storage medium having a computer readable program, wherein the computer readable program when executed on a computer causes the computer to: (a) send a request by a television set to a persona television system via a data network, wherein the request comprises a persona name for a persona, wherein the persona comprises a character representation of a person other than a viewer of the television set; (b) receive at least one show description from the persona television system in response to the request, wherein the received show description comprises information for a television show; and (c) obtain the television show via the data network using the information for the television show in the received show description.

In a system aspect, the system comprises: a television set coupled to a data network; and a persona television system coupled to the data network, comprising a computer and a computer useable storage medium having a computer readable program, wherein the computer readable program when executed on the computer causes the computer to: receive a request from the television set via the data network, wherein the request comprises a persona name; select at least one persona from a persona database coupled to the persona television system based on the persona name in the request, wherein each persona in the persona database comprises a character representation of a person other than a viewer of the television set; select at least one show description from a television show library based on the selected persona, wherein each show description in the television show library comprises information for a television show; and send the selected show description to the television set via the data network, wherein the selected show description comprises information for the television show.

#### BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE FIGURES

FIG. 1 illustrates an embodiment of a system comprising a television set showing a persona-based selection of data network television shows.

4

FIG. 2 illustrates an embodiment of a persona television system.

FIG. 2a illustrates examples of persona attributes for a persona.

FIG. 2b illustrates examples of show attributes for a show description.

FIG. 3 illustrates an embodiment of a personal television system with a plurality of show descriptions.

FIG. 4 illustrates persona television system selecting a more relevant television show.

FIG. 5 illustrates a hybrid selection wherein the persona television system includes a human.

#### DETAILED DESCRIPTION OF THE INVENTION

The invention provides a method and system for automatically selecting a television show. The following description is presented to enable one of ordinary skill in the art to make and use the invention and is provided in the context of a patent application and its requirements. Various modifications to the embodiment will be readily apparent to those skilled in the art and the generic principles herein may be applied to other embodiments. Thus, the invention is not intended to be limited to the embodiments shown but is to be accorded the widest scope consistent with the principles and features described herein.

FIG. 1 illustrates an embodiment of a system comprising a television set showing a persona-based selection of data network television shows. The system comprises a television set 110, which displays a television show 121 watched by a viewer 100. The television set 110 obtains the television show 121 from video source 141. The television set 110 connects to video source 141 through a data network 130. The television set 110 connects to the persona television system 210 over the data network 130. In one embodiment, the television set 110 sends a request for a television show for a persona 220 to the persona television system 210. The persona television system 210 selects a television show 121 based on the persona 220. The persona television system 210 sends to the television set 110 a show description 161 of the television show 121. The show description includes video source information 151. Video source information 151 includes information about video source 141 such that the television set 110 can determine video source 141 and can obtain television show 121 from video source 141.

A “persona”, as used in this specification, includes a character representation of a person other than the viewer (i.e., a third party), an event, or a group. The persona may include a representation of a real person, event, or group. The persona may also include a representation of a fictional person, event, or group. The persona is described in more detail later in this specification.

Viewer 100 is watching a television show 121 on a television set 110. In one embodiment, television set 110 includes a High Definition Television (HDTV) set. In one embodiment, television set 110 includes a digital media adaptor. In one embodiment, television set 110 includes a set-top-box. In one embodiment, the set-top-box includes a personal computer (PC), or a notebook. In one embodiment, television set 110 includes a mobile entertainment device such as a smartphone, mobile internet device (MID) or a netbook. In one embodiment, television set 110 includes an all-in-one TV. In one embodiment, television set 110 includes a touch sensitive screen.

In one embodiment, television set 110 is located in a living room, a family room, or a bedroom. In one embodi-

ment, television set **110** is located in a residential entertainment room. In one embodiment, television set **110** is placed on a low-profile table, or hung on a wall. In one embodiment, television set **110** is located in a restaurant, a sports bar, or a shopping mall. In one embodiment, television set **110** is located in an airport, a hotel lobby, a hotel guestroom, or a casino. In one embodiment, television set **110** is located over a gas pump in a gas station. In one embodiment, television set **110** is located in a retail store, in a bank, a supermarket or a department store. In one embodiment, television set **110** is located in a reception area of a dental office, a clinic, a hospital, or a governmental office. In one embodiment, television set **110** is located in a ball park, a stadium or a public place, such as a town-square, subway station, or a street corner. In one embodiment, television set **110** is located in an elevator, a billboard, or a digital kiosk. In one embodiment, television set **110** is located in a class room, a lecture hall, or a corporate conference room. In one embodiment, television set **110** is located in an airplane, a passenger car, a bus or a train.

Television set **110** obtains television show **121** from video source **141**. In one embodiment, television show **121** is an episode of a television series. In one embodiment, the episode is the current episode from the current season. In one embodiment, the episode is an old episode from the current season. In one embodiment, the episode is an old episode from an old season. In one embodiment, television show **121** is a movie. In one embodiment, television show **121** is a news segment, an interview or a presidential debate. In one embodiment, television show **121** is a sports event, such as a National Football League (NFL) game, an Olympics track and field event, or Miss Universe Pageant. In one embodiment, television show **121** is a documentary, or a city council meeting broadcast. In one embodiment, television show **121** is an animation, or a cartoon animation. In one embodiment, television show **121** is a short video clip, a musical video, or a syndicated video show. In one embodiment, television show **121** is an advertisement. In one embodiment, television show **121** is an online video such as a YouTube video, a user generated video, an online animation such as a Flash animation. In one embodiment, television show **121** is a video clip such as a movie trailer, a news clip, a clip of another video, an animated GIF image.

Television set **110** connects to video source **141** through a data network **130**. In one embodiment, data network **130** includes the Internet. In one embodiment, data network **130** includes an Internet Service Provider (ISP) network. In one embodiment, data network **130** includes a Content Delivery Network (CDN). In one embodiment, data network **130** includes a private network operated by or for a business, such as a hotel, a multi-tenant complex, a gym, a rehabilitation center, a casino, a sports bar, a restaurant, a retail shop, a supermarket, a gas station, a train station or a business using television to attract or entertain its customers. In one embodiment, data network **130** includes a home network. In one embodiment, data network **130** includes a broadband network. In one embodiment, data network **130** includes an Ethernet. In one embodiment, data network **130** includes a WiFi network. In one embodiment, data network **130** includes a wireless network such as a Wireless Local Area Network (WLAN), a Worldwide Interoperability for Microwave Access (WiMax) network, or an Ultra-Wideband (UWB) network. In one embodiment, data network **130** includes a cellular network, such as a 3G network. In one embodiment, data network **130** includes a digital television network such as a cable television network, a satellite television network, or an IPTV network like Verizon's

FiOS™ or AT&T's U-Verse™. In one embodiment, data network **130** includes a digital subscriber line (DSL) network or cable broadband network. In one embodiment, data network **130** includes fiber based subscriber broadband network.

In one embodiment, video source **141** is a broadband television network. In one embodiment, video source **141** is based on Internet Protocol Television (IPTV) technologies. In one embodiment, video source **141** is an Internet video portal or online video syndicate. In one embodiment, video source **141** is an online video store. In one embodiment, video source **141** is an online video portal of a television network. In one embodiment, video source **141** is an online video portal of a television station. In one embodiment, video source **141** is an on-line video rental service. In one embodiment, video source **141** is a web portal. In one embodiment, video source **141** is an online video portal of a newspaper, a news agency, a sport center, a studio, or a video entertainment organization. In one embodiment, video source **141** is an online social networking site. In one embodiment, video source **141** is a home media center, a PC, a cable set-top box, a digital set-top box such as Tivo™, Sling™, or Apple TV™.

Television set **110** obtains television show **121** from video source **141** in a number of ways. In one embodiment, television set **110** obtains television show **121** using a streaming protocol, such as Real Time Messaging Protocol (RTMP). In one embodiment, television set **110** obtains television show **121** using Adobe's Flash™ or Microsoft's Silverlight™ technologies. In one embodiment, television set **110** obtains television show **121** in Moving Pictures Expert Group-2 (MPEG-2) format, MPEG-4 format, or H.264 format, Windows Media Video (WMV), QuickTime video, On2 VP6™ format. In one embodiment, television set **110** obtains television show **121** using Digital Video Broadcasting Terrestrial (DVB-T) or Digital Video Broadcasting Handhelds (DVB-H) technologies. In one embodiment, television set **110** obtains television show **121** using cable television technologies. In one embodiment, television set **110** obtains television show **121** using Media RSS or Synchronized Multimedia Integration Language (SMIL) technology. In one embodiment, television set **110** downloads television show **121** prior to showing television show **121**.

In one embodiment, television set **110** shows television show **121** by sending a request to a persona television system **210**. In response to the request, persona television system **210** selects television show **121** based on persona **220**. Television set **110** connects to persona television system **210** over data network **130**. In one embodiment, persona television system **210** sends to television set **110** show description **161** of television show **121**. Show description **161** includes video source information **151**. Video source information **151** includes information about video source **141** such that television set **110** can determine video source **141** and can obtain television show **121** from video source **141**. In one embodiment, video source information **151** includes a television channel number, or an input source of television set **110** such as HDMI-1, RGB, or PC-input. In one embodiment, video source information **151** includes television show **121** title, schedule of when television show **121** is shown, an URL, or a video identity for television show **121**. Subsequently television set **110** obtains video source information **151** from show description **161** and goes to video source **141** to obtain television show **121**. In one embodiment, television set **110** includes a web browser **111**. Using web browser **111**, television set **110** uses the URL of source information **151** to go to video source **141**. In one

embodiment, television set **110** includes a video player **112** such as Windows Media Player™, Flash Player™, Quick-time™ or other media player. Based on video player **112**, television set **110** obtains television show **121**. In one embodiment, television set **110** downloads television show **121** using web browser **111**. In one embodiment, television set **110** downloads television **121** using a file transfer protocol.

FIG. 2 illustrates an embodiment of a persona television system **210**.

Persona television system **210** includes a persona database **242** and a television show library **260**. Persona database **242** includes at least one persona **220**. In one embodiment, persona **220** represents a person such as an actor, an actress, a director, a writer, an author, a talk show host, a celebrity, a politician, or a teacher. For example, persona **220** represents actor Paul Newman, actress Angelina Jolie, director Steven Spielberg, or producer George Lucas. Other examples include celebrity Paris Hilton, tennis star Ana Ivanovic, President Barack Obama, astronomer Carl Sagan, or talk show host Oprah Winfrey. In one embodiment, persona **220** represents a fictional character from a story, a movie, or a book. For example, persona represents Batman, Super Woman or Looney Tunes' Sylvester. Other examples include Mrs. Robinson of the movie "The Graduate", Santa Claus or Anakin Skywalker. In one embodiment, persona **220** represents an online avatar which in turn is representing a fictional character. In one embodiment, persona **220** represents a character created for a video game such as Spore™, Second Life™, or Sims™. In one embodiment, the persona **220** changes over time based on interaction with other personae.

In one embodiment, persona **220** represents a story, a journal, a historic event, a war, or an incident. For example, persona **220** is based on history of "Oregon Trail". In one example, persona **220** is based on "Star Wars", "Eighty Days around the World", "Tom Sawyer", "World War II", or "Hurricane Katrina". In one embodiment, persona **220** is based on a culture such as Chinese, Japanese, or Greek. Other examples include Egyptian, Incan or the Mesopotamian civilization.

Persona **220** includes at least one persona attribute **224** related to persona **220**. In one embodiment, persona attribute **224** describes a human character, academic background, favorite subjects, favorite books, socio-economic background, age group, gender, hobbies, locale, or political views. In one embodiment persona attribute **224** includes a word, an adjective, an adverb, a phrase, a common noun or a paragraph of text. In one embodiment, persona attribute **224** includes a picture, an image, a video clip, a sound, an audio clip, or a music segment.

FIG. 2a illustrates example persona attributes **224** for a persona **220** representing a science fiction character persona **220**.

Returning to FIG. 2, in one embodiment, persona **220** includes a persona name **216**. Persona television system **210** matches the persona name **215** in the television show request **264** with the persona name **216** to obtain persona **220**.

Television show library **260** includes at least one show description **161** of a television show. Here, show description **161** describes television show **121**. A plurality of show descriptions **161** would describe a plurality of corresponding television shows. In one embodiment, show description **161** includes title of television show **121**. In another embodiment, show description **161** includes a description of the story of television show **121**, plot, schedule, casts, cast bio, description of characters in television show **121**. In one

embodiment, show description **161** includes television shows related to television show **121**. For example, show description **161** includes other television shows in the same series, by the same producer, with similar cast members, or in the same genre.

In one embodiment, show description **161** includes a show attribute **261**. Show attribute **261** can be a word, a phrase, a noun, a common noun, an adjective, a proper noun, a city name, a phrase, a trademark, etc. FIG. 2b illustrates example show attributes **261** of science fiction television show **121**. In another embodiment, show description **161** includes a picture, an image, a video clip, a sound, an audio clip, or a music segment.

Persona television system **210** determines if persona **220** matches show description **161** by searching television show library **260**. In one embodiment, persona television system **210** compares persona attribute **224** with show attribute **261**. In one embodiment, persona attribute **224** is an exact match to show attribute **261**. For example in FIG. 2a persona attribute **224** is a noun "war hero", and in FIG. 2b show attribute **261** is the same noun "war hero". In another example, persona attribute **224** is an age "35" and show attribute **261** is an age group "30's", referring to the target demographic age group of television show **121**. In one embodiment, persona attribute **224** is "war hero", and show attribute **261** is "Luke Skywalker". In each of the above examples, persona attribute **224** is determined to "match" show attribute **261**.

In one embodiment, persona television system **210** includes a dictionary **290**. In one embodiment, dictionary **290** includes item **292** for show attribute **261**. In one embodiment, dictionary **290** includes an item **292** of "Luke Skywalker", which includes the term "war hero". Persona television system **210** checks if show attribute **261** is associated with an item **292** in dictionary **290**, and compares persona attribute **224** against the associated item **292**. Persona television system **210** determines persona attribute **224** matches show attribute **261** based on the item **292** in the dictionary **290**.

For example, item **292** describes the city "San Francisco". In one embodiment, item **292** is a word, a term, a phrase, a paragraph, a collection of words, a document, a picture, a video, an audio document or other form of document. In one embodiment, persona attribute **224** is "city life". Persona television system **210** matches "city life" against item **292**, which is a description of city "San Francisco", and determines persona attribute **224** matches item **292**. Persona television system **210** thus determines persona attribute **224** "city life" matches show attribute **261** "San Francisco" based on item **292** in the dictionary **290**.

In one embodiment, persona attribute **224** and show attribute **261** include pictures. Persona television system **210** performs pattern matching between persona attribute **224** and show attribute **261**.

As persona television system **210** connects to television set **110**, in one embodiment, persona television system **210** receives from television set **110** a television show request **264**. In one embodiment, television show request **264** includes persona name **215**. Persona television system **210** receives persona name **215** and compares persona name **215** against persona name **216** in persona database **242**. Persona television system **210** obtains persona **220** based on persona name **215**. Persona television system **210** obtains persona attribute **224** from persona **220**. Persona television then compares persona attribute **224** against television show library **260**, and determines show attribute **261** of show description **161** matches persona attribute **224**. Persona

television system 210 sends show description 161 of television show 121 to television set 110. In one embodiment, show description 161 includes video source 141 of television show 121. Persona television system 210 sends video source 141 to television set 110.

In one embodiment as illustrated in FIG. 3, television show library 260 additionally includes a second show attribute 263 of a second show description 163 of a second television show 123. In one embodiment, persona television system 210 determines persona attribute 224 matches show attribute 263, and thus show description 163 matches persona 220. In one embodiment, persona television system 210 sends both show description 161 and show description 163 to television set 110. Television set 110 plays television show 121 and television show 123. In one embodiment, persona television system 210 informs television set 110 a play order 235 for television show 121 and television show 123. Television set 110 plays according to play order 235. In one embodiment play order 235 is a play list including television show 121 and television show 123. In one embodiment play order 235 includes a video on demand list composing of television show 121 and television show 123. Viewer 100 selects television show 123 based on the video on demand list. In one embodiment, viewer 100 selects television show 123 using a remote control.

In one embodiment, persona television system 210 sends television set 110 a television script 350. Script 350 includes instruction to play television show 121 and television show 123. In one embodiment, script 350 is encoded in an Extensible Markup Language (XML). In one embodiment, script 350 is encoded in EMCAScript or Javascript. In one embodiment, script 350 is encoded in Java. In one embodiment, script 350 is encoded in a web scripting language, such as Hypertext Markup Language (HTML). In one embodiment, script 350 is encoded in Visual Basic Script (VBScript).

In one embodiment, persona television system 210 further selects show description 161 from show description 163 based on additional information 380. In one embodiment additional information 380 includes time of day, season, event, etc.

In one embodiment, additional information 380 includes viewer 100 information. Request from television set 110 includes viewer 100 information. Persona television system 210 selects show description 161 from show description 163 further based on viewer 100 information.

In one embodiment, viewer 100 information includes geographic information, past viewing behavior, subscription information. In one embodiment, viewer 100 information includes viewer's age, gender, hobbies, political inclination, favorite actors or actresses, etc.

In one embodiment, the additional information 380 includes promotion 330. Persona television system 210 selects show description 161 from television show library 260 further based on promotion 330. In one embodiment, promotion 330 is for a season, an event, a service, or merchandise. In one embodiment, promotion 330 includes a promotion attribute 333. Promotion attribute 333 is a word, a term, a phrase, a paragraph of text, an image, or a pattern. Persona television system 210 matches promotion attribute 333 against show description 161, similar to the matching of persona attribute 224 against show description 161.

FIG. 4 illustrates persona system selecting a more relevant television show.

In one embodiment, persona television system 210 selects television show 121 and television show 123, both matching

persona attribute 224. Persona television system 210 determines television show 121 is more relevant than television show 123 based on a metric.

In one embodiment, relevance is based on time as a metric. Persona television system 210 includes a clock 271 from which persona television system 210 obtains the current time 272, for example Nov. 18, 2008, 12:05 pm. Television show library 260 includes show description 161 for television show 121 wherein show description 161 includes a time or date, such as a publishing date of television show 121 or a period of the year or the day seen in television show 121. Television show library 260 includes similar show description 163 for television show 123. In one embodiment current time 272 is closer to show description 161 than show description 163. Persona television system 210 determines television show 121 is more relevant than television show 123. In one embodiment, current time 272 is close to Thanksgiving, and show description 161 includes Thanksgiving as a period of the year. Television show 121 is more relevant than television show 123. In one embodiment, current time 272 is around noon time, and show description 161 includes noon as a period of the day. Television show 121 is more relevant than television show 123. For example, television show 121 is a video showing how to make a healthy lunch sandwich; television show 121 is a video showing how to prepare a full course dinner. Show description 161 indicates a period of the day between 11 am-1 pm; show description 163 indicates a period of the day between 5 pm-8 pm. Persona television system 210 determines that current time 272 matches show description 161 and that television show 121 is more relevant than television show 123.

In one embodiment, television show 121 is more relevant when show description 161 includes a publishing date later than show description 163.

In one embodiment, relevance is based on other information such as demographic information about viewer 100, location information of television set 110, urgency information of television show library 260. Embodiments of such relevance should be known to those skilled in the art.

In one embodiment, relevance is based on past history of persona television system 210. In one embodiment, television show 121 was selected more recently than television show 123. Persona television system 210 determines television show 121 is more relevant. In one embodiment, television show 121 was more frequently selected than television show 123, television show 121 is more relevant. In one embodiment, television show 121 was watched to completion more frequently than television show 123, television show 121 is more relevant. Other historical information such as social interests, social network interests can also be considered for relevance.

In one embodiment, relevance is based on monetary consideration. In one embodiment, television show 121 is free, for example show description 161 indicates \$0 cost, and television show 123 is not free where show description 163 indicates a positive cost. Television show 121 is more relevant than television show 123. In one embodiment, show description 161 indicates revenue higher than show description 163. Television show 121 is more relevant than television show 123.

In one embodiment, relevance is based on popularity or user rating. In one embodiment, show description 161 includes a popularity factor or user rating. For example, show description 161 includes a user rating of 5, higher than the user rating of 3 in show description 163. Television show 121 is more relevant than television show 123.

In one embodiment, persona television system **210** may use one or more of other methods to determine the relevance. The methods may include critic rating, bidding, demographics information, show duration, awards won by television show **121**, and video quality.

Upon selecting the more relevant television show, based upon any combination of metrics described above, the persona television system **210** sends the show description for the selected television show to the television set **110**. Alternatively, all matching show descriptions are sent to the television set **110** along with their corresponding relevances.

FIG. **5** illustrates a hybrid selection wherein the persona television system includes a human.

In one embodiment, persona television system **210** interacts with a human operator **390** to select television show **121**. In one embodiment persona television system **210** includes input and output interactive means **394** such as a monitor, a mouse, a touch sensitive screen, a keyboard, a network, a web server, or a web browser. Persona television system **210** interacts with operator **390** using the input and output interactive means **394**.

In one embodiment, persona television system **210** presents matched television show **121** to operator **390**. Persona television system **210** asks Operator **390** to confirm the matched television show **121**. Operator **390** confirms the matched television show **121**. Persona television system **210** selects television show **121**. In one embodiment, persona television system **210** presents matched television show **121** and television show **123** to operator **390**. Persona television system **210** asks operator **390** for further input. Operator **390** responds with television show **121**. Persona television system **210** selects television show **121**.

In one embodiment, persona television system **210** also presents to operator **390** show description **161**, show description **163**, persona **220**, persona attribute **224**, or any additional relevance criteria. Operator **390** confirms or selects television show **121** after reviewing the presented information.

The invention can take the form of an entirely software embodiment or an embodiment containing both hardware and software elements. In one embodiment, the invention is implemented in software, which includes but is not limited to firmware, resident software, microcode, etc.

Furthermore, the invention can take the form of a computer program product accessible from a computer-usable or computer-readable storage medium providing program code for use by or in connection with a computer or any instruction execution system. For the purposes of this description, a computer-usable or computer readable storage medium can be any apparatus that can contain, store, communicate, propagate, or transport the program for use by or in connection with the instruction execution system, apparatus, or device.

The storage medium can be an electronic, magnetic, optical, electromagnetic, infrared, or semiconductor system (or apparatus or device) or a propagation medium. Examples of a computer-readable storage medium include a semiconductor or solid state memory, magnetic tape, a removable computer diskette, a random access memory (RAM), a read-only memory (ROM), a rigid magnetic disk and an optical disk. Current examples of optical disks include compact disk-read only memory (CD-ROM), compact disk-read/write (CD-R/W) and DVD.

Input/output or I/O devices (including but not limited to keyboards, displays, point devices, etc.) can be coupled to the system either directly or through intervening I/O controllers.

What is claimed is:

**1.** A method for automatically instructing a video device to play a video, comprising:

- (a) receiving a request for the video from the video device, the request comprising a name;
- (b) comparing the name in the request with a plurality of character records in a character database, each character record of the plurality of character records comprising a character name representing a fictional character;
- (c) matching the name in the request with a given character name in a given character record of the plurality of character records for a first video;
- (c) selecting a first image in the given character record;
- (d) comparing the first image against a plurality of video descriptions associated with a plurality of videos in a video library, each video description of the plurality of the plurality of video descriptions comprising a second image;
- (e) determining that a given second image from a given video description of the plurality of video descriptions matches the first image;
- (f) selecting a second video associated with the given video description;
- (g) creating a script comprising encoded instructions to play the first video and the second video in a specified order; and
- (h) sending the script to the video device as a response to the request.

**2.** The method of claim **1**, wherein the comparing (d) and the determining (e) comprises:

- (d1) comparing a pattern in the first image against a pattern in the given second image; and
- (e1) determining that the pattern in the first image matches the pattern in the given second image.

**3.** The method of claim **2**, wherein the pattern in the first image comprises an attribute of the fictional character.

**4.** The method of claim **1**, wherein the second video is associated with a second character name, wherein the determining (e) further comprises:

- (e1) further determining that the second character name matches the character name.

**5.** The method of claim **1**, wherein the second video is different from the first video.

**6.** The method of claim **1**, wherein the first video or the second video comprises one or more of the following: a television series; a television show; a movie; a movie trailer; and an animation.

**7.** A non-transitory computer readable medium having computer readable program code embodied therewith, the computer readable program code configured to:

- (a) receive a request for a video from a video device, the request comprising a name;
- (b) compare the name in the request with a plurality of character records in a character database, each character record of the plurality of character records comprising a character name representing a fictional character;
- (c) match the name in the request with a given character name in a given character record of the plurality of character records for a first video;
- (c) select a first image in the given character record;
- (d) compare the first image against a plurality of video descriptions associated with a plurality of videos in a video library, each video description of the plurality of video descriptions comprising a second image;
- (e) determine that a given second image from a given video description of the plurality of video descriptions matches the first image;

13

- (f) select a second video associated with the given video description;
  - (g) create a script comprising encoded instructions to play the first video and the second video in a specified order; and
  - (h) send the script to the video device as a response to the request.
8. The medium of claim 7, wherein the compare (d) and the determine (e) comprises:
- (d1) compare a pattern in the first image against a pattern in the given second image; and
  - (e1) determine that the pattern in the first image matches the pattern in the given second image.
9. The medium of claim 8, wherein the pattern in the first image comprises an attribute of the fictional character.
10. The medium of claim 7, wherein the second video is associated with a second character name, wherein the determine (e) further comprises:
- (e1) further determine that the second character name matches the character name.
11. The medium of claim 7, wherein the second video is different from the first video.
12. The medium of claim 7, wherein the first video or the second video comprises one or more of the following: a television series; a television show; a movie; a movie trailer; and an animation.
13. A system, comprising:  
 a non-transitory computer readable medium having a computer readable program code, the computer readable program code configured to:
- (a) receive a request for a video from a video device, the request comprising a name;
  - (b) compare the name in the request with a plurality of character records in a character database, each character record of the plurality of character records comprising a character name representing a fictional character;

14

- (c) match the name in the request with a given character name in a given character record of the plurality of character records for a first video;
  - (c) select a first image in the given character record;
  - (d) compare the first image against a plurality of video descriptions associated with a plurality of videos in a video library, each video description of the plurality of video descriptions comprising a second image;
  - (e) determine that a given second image from a given video description of the plurality of video descriptions matches the first image;
  - (f) select a second video associated with the given video description;
  - (g) create a script comprising encoded instructions to play the first video and the second video in a specified order; and
  - (h) send the script to the video device as a response to the request.
14. The system of claim 13, wherein the compare (d) and the determine (e) comprises:
- (d1) compare a pattern in the first image against a pattern in the given second image; and
  - (e1) determine that the pattern in the first image matches the pattern in the given second image.
15. The system of claim 14, wherein the pattern in the first image comprises an attribute of the fictional character.
16. The system of claim 13, wherein the second video is associated with a second character name, wherein the determine (e) further comprises:
- (e1) further determine that the second character name matches the character name.
17. The system of claim 13, wherein the second video is different from the first video.
18. The system of claim 13, wherein the first video or the second video comprises one or more of the following: a television series; a television show; a movie; a movie trailer; and an animation.

\* \* \* \* \*